


NO. 327 HUSKING UNIT




LOT P272 -

YEAR BUILT 1965 -

Index To Repair Parts

Subject	Page
Main Frame and Wagon Elevator Support	128
Side Sheets and Hood	129-130-131
Fan and Jackshaft Drive	131-132
Husking Bed Drive	133
Husking Rolls	134-135-136
Corn Saver	137-138
Ear Forwarders	138-139
Wagon Elevator Drive	140-141
Wagon Elevator	142-143-144
Package Goods	179-183
Chains and Paints	184-185
Index	186-194


MAIN FRAME AND WAGON ELEVATOR SUPPORT



NO. 327 HUSKING UNIT LOT P272 -

KEY	PART NO.	PART DESCRIPTION	LOT	USED
1	010223	Cotter pin, 5/32 x 1-1/4"	P 272-	3
2	305555	Channel assembly	P 272-	1
	013613	Machine bolt, 1/2 x 1-1/4"		2
3	013221	Rivet, drilled, 3/4 x 3-1/2"	P 272-	3
4	304147	Wagon elevator support assembly (Order 307840) Key 25	P 272-456	1
	014077	Machine bolt, 1/2 x 1"		8
5	302756	Wagon elevator hold down strap	P 272-	2
	013583	Machine bolt, 3/8 x 1"		2
6	308396	Wagon hitch assembly	P 272-	1
	014077	Machine bolt, 1/2 x 1"		6
7	302393	Hitch plate extension	P 272-	1
	013666	Machine bolt, 3/4 x 2"		2
8	300749	Stand assembly	P 272-	2
9	013192	Rivet, drilled, 1/2 x 2-3/4"	P 272-	4
10	2628-P	Pin clip	P 272-	4
11	305427	Support tube assembly left hand	P 272-	1
	013580	Machine bolt, 3/8 x 3/4"		6
12	302771	Jack body assembly	P 272-	2
13	011962	Grease fitting, 1/8 N.P.T. straight	P 272-	1
14	K-3866	Roll Pin, 1/4 x 1-5/8"	P 272-	2
15	300766	Jack screw, 1-1/4"dia., 8-5/8" long	P 272-401	2
	0741 ME	Jack screw, 1-1/4"dia., 10-5/8" long	P 408-	2
16	K-2785	Roll pin, 3/8 x 2"	P 272-	2
17	0798 MEA	Jack handle assembly (Order 305932)	P 272-380	2
	305932	Jack handle assembly	P 390-	2
18	K 3074	Self tapping screw, 1/4" x 1/2"	P 272-	2
19	K-3454	Roll pin, 1/4 x 1-3/4"	P 272-	2
20	112-ME	Jack base	P 272-	2
21	305431	Support tube assembly right hand	P 272-	1
	013580	Machine bolt, 3/8 x 3/4"		6
22	303449	Adjustment shim, 3/32" x 1" x 6 (Order 308185)	P 272-417	2
	308185	Adjustment shim, 3/32" x 1" x 6	P 428-	2
23	308554	Eye bolt	P 485-	
24	010503	Washer, 17/32"I.D. x 1-3/8"O.D. x 1/8" thick	P 485-	
25	307840	Wagon elevator support	P 485-	
	010476	Machine bolt, 1/2 x 1-1/4" (Grade 5)	P 485-	
	K 4797	Machine bolt, 1/2 x 2-1/2" (Grade 5)	P 485-	

SIDE SHEETS AND HOOD



NO. 327 HUSKING UNIT
LOT P272 -


KEY	PART NO.	PART DESCRIPTION	LOT	USED
1	305504	Husking bed wear sheet	P 272-	1
	013562	Machine bolt, 5/16 x 5/8"		3
	013987	Machine screw, 5/16 x 5/8"		4
2	305466	Auger wrapper sheet	P 272-	1
	013561	Machine bolt, 5/16 x 1/2"		6
3	305467	Auger cover door	P 272-	1
	013986	Machine screw, 5/16 x 1/2"		3
4	305444	Lower auger assembly	P 272-	1
5	305490	Wrapper sheet clip assembly	P 272-	3
6	K 5020	Speed nut, 5/16" "U" Type	P 272-	4
7	305489	Wrapper sheet	P 272-	1
	013988	Machine screw, 5/16 x 3/4"		4
8	305536	Wagon elevator wear sheet	P 272-	1
	013580	Machine bolt, 3/8 x 3/4"		2
9	305434	Husking bed sheet, front	P 272-	1
	013562	Machine bolt, 5/16 x 5/8"		9
10	305432	Reinforcement plate - front	P 272-	1
	013580	Machine bolt, 3/8 x 3/4"		3
11	305441	Spreader bar, 39-13/16" long	P 272-	1
	013562	Machine bolt, 5/16 x 5/8"		2
12	305435	Husking bed side sheet, rear	P 272 only	1
	305811	Husking bed side sheet, rear	P 289-	1
	013562	Machine bolt, 5/16" x 5/8"		9
13	305438	Upper reinforcement, rear	P 272-	1
	013562	Machine bolt, 5/16 x 5/8"		9
14	305430	Reinforcement plate, rear	P 272-	1
	013580	Machine bolt, 3/8 x 3/4"		3
15	010231	Cotter pin, 3/16 x 1-1/2"	P 272-	2
16	K 864	Washer, 1-1/32" I.D. x 1-5/8" O.D. x 1/16" thick	P 272-	3

SIDE SHEETS AND HOOD (CONT.)

KEY	PART NO.	PART DESCRIPTION	LOT	USED
17	K 4668	Bearing housing	P 272-	8
	013811	Carriage bolt, 5/16 x 3/4"		8
18	K 2809	Locking collar, 1"	P 272-	4
19	K 2692	Setscrew, 1/4 x 1/4" cup point	P 272-	4
20	K 2752	Ball bearing, 1" dia.	P 272-	4
21	305429	Reinforcement plate - front	P 272-	1
	013581	Machine bolt, 3/8 x 3/4"		3
22	302674	Idler bracket	P 272-	1
	013581	Machine bolt, 3/8 x 3/4"		2
23	300041	Chain slide	P 272-	3
	013831	Carriage bolt, 3/8 x 2-3/4"		1
24	K 3427	Roll pin, 5/16 x 2"	P 272-	1
25	302300	Spacer, 1" I.D. x 1-1/2" O.D. x 7/16" thick	P 272-	1
26	305449	21 and 9 tooth sprocket, 1" dia. bore for A2050 chain	P 272-	1
27	305582	Husking bed drive chain from gathering unit, 1-1/4" extended pitch roller chain A2050 consisting of 53 total pitches, 51 riveted type, 1 connector link and 1 offset link (For repair of chain see page 184)	P 272-	
28	305501	Idler bracket	P 272-	1
	013988	Machine screw, 5/16 x 3/4"		1
29	305436	Upper reinforcement - front	P 272-	1
	013562	Machine bolt, 5/16 x 5/8"		9
30	305454	Support plate assembly	P 272-	1
	013824	Carriage bolt, 3/8 x 1"		3
31	K 895	Washer, 21/32" I.D. x 2" O.D. x 3/16" thick	P 272-	2
32	K 873	Washer, 1-1/32" I.D. x 1-3/4" O.D. x 1/16" thick	P 272-	A.R.
33	305529	Auger shaft, 1" dia. x 6-3/4" long	P 272-	1
34	305566	Top reinforcement plate - front	P 272-	1
	013987	Machine screw, 5/16 x 5/8"		11
35	305522	Cross auger assembly, 36-1/16" long	P 272-	1
	013589	Machine bolt, 3/8 x 1-3/4"		2
36	K 2683	Self-locking nut, 3/8"	P 272-	2
37	305528	Auger drive shaft, 1" dia. x 8-9/16" long	P 272-	1
38	305567	Top reinforcement plate, rear	P 272-	1
	013987	Machine screw, 5/16 x 5/8"		11
39	300915	Channel shield bracket	P 272-	1
	013990	Machine screw, 5/16 x 1"		2
40	K 2846	Wing nut, 5/16"	P 272-	3
41	305494	Shield bracket	P 272-	1
	013990	Machine screw, 5/16 x 1"		1
42	305500	Idler bracket	P 272-	1
	013988	Machine screw, 5/16 x 3/4"		2
43	305492	Shield bracket	P 272-	1
	013990	Machine screw, 5/16 x 1"		2
44	305433	Reinforcement plate, rear	P 272-	1
	013580	Machine bolt, 3/8 x 3/4"		3
45	304018	Shield assembly	P 272-	1
	013987	Machine screw, 5/16 x 5/8"		3
46	305542	Shield assembly	P 272-	1
47	K 3169	Roll pin, 5/16 x 1-3/4"	P 272-	1
48	305564	12-Tooth sprocket, 1" dia. bore	P 272-	1
49	304713	Spacer, 1" standard, black pipe, 21/32" thick	P 272-	1
50	305537	Guard rail	P 272-	1
	013988	Machine screw, 5/16 x 3/4"		4
51	305477	Auger trough assembly	P 272-	1
	013579	Machine bolt, 3/8 x 5/8"		2
	013992	Machine screw, 5/16 x 1-1/4"		5
52	305545	Hood assembly, L.H.	P 272-	1
	013988	Machine screw, 5/16 x 3/4"		4

KEY	PART NO.	PART DESCRIPTION	LOT	USED
53	305558	Hood support, 22" long, wide row	P 272-	1
	013988	Machine screw, 5/16 x 3/4"		3
	013986	Machine screw, 5/16 x 1/2"		4
	305560	Hood support, 15" long, narrow row	P 272-	
	013988	Machine screw, 5/16 x 3/4"		3
	013986	Machine screw, 5/16 x 1/2"		4
54	305557	Hood back sheet - wide row	P 272-	1
	013986	Machine screw, 5/16 x 1/2"		11
	305559	Hood back sheet - narrow row	P 272-	1
	013986	Machine screw, 5/16 x 1/2"		9
55	305538	Hood assembly, R.H.	P 272-	1
	013986	Machine screw, 5/16 x 1/2"		6
	013988	Machine screw, 5/16 x 3/4"		3
56	701085	Fastener	P 272-	2
	013082	Rivet, 3/16 x 5/16" truss hd.	P 272-	2
57	305507	Husking bed end sheet	P 272-	1
	013986	Machine screw, 5/16 x 1/2"		6
58	305515	Door assembly	P 272-	1
	013987	Machine screw, 5/16 x 5/8"		5
59	305465	Husk Deflector, 37-3/16" long	P 272-	1
60	712052	Decal, "Increase and Decrease Tension"	P 272-	1
61	308039	Filler, L.H.	P 348-	1
	013987	Machine screw, 5/16 x 5/8"		
62	308040	Filler, R.H.	P 348-	1
	013987	Machine screw, 5/16 x 5/8"		
63	525778	Reflector (Red)	P 348-	1
	013923	Machine screw #10 x 1		
	012238	Locknut 10-24		

FAN AND JACK SHAFT DRIVE




NO. 327 HUSKING UNIT LOT P272 -

FAN AND JACK SHAFT DRIVE (CONT.)

KEY	PART NO.	PART DESCRIPTION	LOT	USED
1	E 288	Sheave, 3-1/8" P.D., 1" bore	P 272-	1
2	K 1153	Set screw, 3/8 x 3/8" hollow head	P 272-	1
3	K 4668	Bearing housing	P 272-	2
	013811	Carriage bolt, 5/16 x 3/4"		2
4	K 2809	Locking collar, 1" bore	P 272-	2
5	K 2692	Set screw, 1/4 x 1/4"	P 272-	2
6	K 2752	Ball bearing, 1" bore	P 272-	2
7	K 3582	Idler roller assembly	P 272-	2
	013846	Carriage bolt, 1/2 x 2-1/4"		1
8	K 1738	Spacer, 3/4" O.D. x 1/4" long	P 272-	2
9	K 1852	Washer, 17/32" I.D. x 1" O.D. x 1/16" thick	P 272-	2
10	302669	Fan support assembly, L.H.	P 272-	1
	013581	Machine bolt, 3/8 x 3/4"		1
11	302665	Bearing bracket	P 272-	1
	013811	Carriage bolt, 5/16 x 3/4"		2
12	711906	Spacer, 1/4" std. blk. pipe, 7/8" long	P 272-	3
13	K 4888	Washer, 11/32" I.D. x 1" O.D. x 1/16" thick	P 272-	3
14	305666	Fan housing side	P 272-	2
	013986	Machine screw, 5/16 x 1/2"		12
15	711903	Fan housing support	P 272-	1
	013986	Machine screw, 5/16 x 1/2"		4
16	011256	Woodruff key No. 13, 3/16 x 1"	P 272-	2
17	305670	Fan assembly	P 272-	1
18	305667	Fan wrapper assembly	P 272-	1
19	305663	Fan support assembly, R.H.	P 272-	1
	013581	Machine bolt, 3/8 x 3/4"		2
20	01555 PM	Pillow block - top	P 272-	1
21	01554 PM	Pillow block - base	P 272-	1
	013583	Machine bolt, 3/8 x 1"		2
22	K 864	Washer, 1-1/32" I.D. x 1-5/8" O.D. x 1/16" thick	P 272-	A.R.
23	010218	Cotter pin, 1/8 x 1-1/2"	P 272-	1
24	K 835	Washer, 11/32" I.D. x 1-3/8" O.D. x 1/16" thick	P 272-	2
25	010231	Cotter pin, 3/16 x 1-1/2"	P 272-	2
26	302731	Sheave for jack shaft, 8.63 P.D., 1" bore keywayed	P 272-	1
27	302732	V-belt, HB section effective length, 50-11/64" long	P 272-	1
28	K 874	Washer, 1-1/32" I.D. x 1-3/4" O.D. x 1/16" thick, keyway	P 272-	A.R.
29	K 3604	Bushing, 1-3/16" O.D. x 1" I.D. x 1-7/8" long	P 272-	2
30	302725	Jack shaft support assembly	P 272-	1
	014077	Machine bolt, 1/2 x 1"		4
31	011983	Grease fitting, 5/16" straight	P 272-	1
32	K 4169	Roll pin, 5/16 x 1-5/8"	P 272-	1
33	302729	Jack shaft, 1" dia., x 16-11/16" long	P 272-	1
34	302730	6-Tooth sprocket, 1" bore keywayed	P 272-	1
35	011264	Woodruff key, No. 26, 3/16 x 1-23/32" long	P 272-	1
36	303589	Fan drive sheave, 12" O.D., 1" bore, keywayed	P 272-	1
37	302733	V-belt, HB section, effective length, 52-1/2" long for fan	P 272-	1
38	308155	45 tooth sprocket, 1" bore for #50 chain	P 380-	1
39	308159	Drive chain assembly, 5/8" pitch #50 chain consisting of 71 total pitches (For repair of chain see page 184)	P 380-	1
40	308154	19 tooth sprocket 1-3/4" bore for #50 chain	P 380-	1
41	010161	Locknut 1/4"	P 380-	1
42	011755	Washer 17/64" I.D. x 1" O.D. x 3/32" thick	P 380-	1
43	308157	Hub assembly (splined)	P 380-	1
44	301077	Bushing 9/32" I.D. x 5/8" O.D. x 3/4" long	P 380-	1
45	K 5012	Machine bolt 1/4 x 2 Grade 5	P 380-	1

HUSKING BED DRIVE




P 327-100B

NO. 327 HUSKING UNIT
LOT P272 -

KEY	PART NO.	PART DESCRIPTION	LOT	USED
1	010231	Cotter pin, 3/16 x 1-1/2"	P 272-	2
2	K 864	Washer, 1-1/32" I.D. x 1-5/8" O.D. x 1/16" thick	P 272-	A.R.
3	K 1774	Washer, 1-1/32" I.D. x 1-5/8" O.D. x 1/8" thick	P 272-	A.R.
4	302848	16-Tooth sprocket, 1" bore, splined for No. A2050 chain	P 272-	1
5	K 2579	Bearing housing	P 272-	2
6	K 2752	Ball bearing, 1" bore, 2-1/8" O.D.	P 272-	1
7	K 2809	Locking collar, 1" I.D.	P 272-	1
8	K 2692	Setscrew, 1/4 x 1/4", cup point hollow head	P 272-	1
9	305581	Husking bed drive chain, 1-1/4" extended pitch roller chain A2050 consisting of 62 total pitches, 61 riveted type and one connector link (For repair of chain see page 184)	P 272-	
10	300041	Chain slide	P 272-	1
	013831	Carriage bolt, 3/8 x 2-3/4"		1
11	305549	Husking bed drive bracket	P 272-	1
	013613	Machine bolt, 1/2 x 1-1/4"		2
12	305550	Husking bed drive shaft, 1" O.D. x 7-1/4" long	P 272-	1
13	011256	Woodruff key, No. 13 - 3/16 x 1"	P 272-	1
14	010246	Cotter pin, 1/4 x 2-1/4"	P 272-	1
15	305458	Universal joint & sprocket assembly	P 272-	1
16	300118	Husking roll drive chain, 1-1/4" extended pitch roller chain A2050 consisting of 29 total pitches, 28 riveted type and one connector link	P 272-	
17	K 3523	Yoke, 1" bore, keywayed	P 272-	1
18	011967	Grease fitting, 1/8" pipe thread, 67-1/2" degree	P 272-	1
19	K 2550	Center cross	P 272-	1
	K 2550A	Center cross kit	P 272-	1
20	305459	Yoke and sprocket assembly, splined	P 272-	1
21	K 2654	Snap ring	P 272-	4
22	K 2655	Cork oil retainer	P 272-	4
23	K 2653	Needle bearing assembly	P 272-	4

HUSKING ROLLS



P 327-108B


NO. 327 HUSKING UNIT LOT P272 -

KEY	PART NO.	PART DESCRIPTION	LOT	USED
1	305472	Adjustment rod assembly, 27-1/16" long	P 272-	2
2	305469	Adjustment rod assembly, 15-11/16" long	P 272-	2
3	711821	Adjustment support	P 272-	8
4	K 2248	Washer, 17/32" I.D. x 1-1/8" O.D. x 1/8" thick	P 272-	12
5	2607 P	Compression spring, 7/8" O.D. x 3-3/4" long, 14 coils	P 272-	6
6	010215	Cotter pin, 1/8 x 1"	P 272-	12
7	711825	Lug assembly	P 272-	4
8	303780	Lug assembly	P 272-	2
9	711711	Husking roll support bracket assembly	P 272-348	1
	724185	Husking roll support bracket assembly	P 360-	1
	013824	Carriage bolt, 3/8" x 1"		12
10	305468	Tightener bracket	P 272-	2
	013825	Carriage bolt, 3/8 x 1-1/4"		4
11	K 3004	Washer, 13/32" I.D. x 13/16" O.D. x 1/16" thick	P 272-	2
12	300041	Chain slide	P 272-	1
	013831	Carriage bolt, 3/8 x 2-3/4"		2
13	010243	Cotter pin, 1/4 x 1-1/2"	P 272-	12
14	K 873	Washer, 1-1/32" I.D. x 1-3/4" O.D. x 1/16"	P 272-	A.R.
15	K 874	Washer, 1-1/32" I.D. x 1-3/4" O.D. x 1/16" keywayed	P 272-	A.R.
16	305456	9-Tooth sprocket, 1" dia. bore for A2050 chain	P 272-	2
17	305464	Spacer, 1" standard black pipe, 1-1/4" long	P 272-	1
18	305512	Support plate assembly	P 272-	1
	013987	Machine screw, 5/16 x 5/8"		1
19	300118	Husking roll drive chain, 1-1/4" extended pitch roller chain, A2050 consisting of 29 total pitches, 28 riveted type and one connector link	P 272-	
20	711797	Brace rod assembly	P 272-	1
21	711811	Bearing stops, 3/4 x 2-1/4 x 3/16" thick	P 272-	4
	013825	Carriage bolt, 3/8 x 1-1/4"		8
22	305475	Adjustment rod assembly, 39-5/16" long	P 272-	2
23	305482	Divider cap	P 272-	1
	013987	Machine screw, 5/16 x 5/8"		2
24	305503	Auger trough - exist assembly	P 272-	1
	013990	Machine screw, 5/16 x 1"		7
25	305486	Tie plate	P 272-	1
	013810	Carriage bolt, 5/16 x 5/8"		2
26	305483	End plate	P 272-	1
27	305484	Auger trough, front assembly	P 272-	1
	013990	Machine screw, 5/16 x 1"		6
28	305677	10-Tooth spur gear, 1" dia. bore	P 272-	12
29	711812	Spacer, 1" std. black pipe, 1-7/32" long	P 272-348	12
	724150	Spacer, 1" std. black pipe, 1/4" long	P 360-	12
30	303755	Husking roll pivot casting, L.H.	P 272-348	6
	724129	Husking roll pivot casting, L.H.	P 360-	6
31	303754	Husking roll pivot casting, R.H.	P 272-348	6
	724128	Husking roll pivot casting, R.H.	P 360-	6
32	303762	Bearing cage	P 272-348	6
	719973	Bearing cage	P 360-	6
	013583	Machine bolt, 3/8" x 1"		3
33	K 2752	Ball bearing, 1" dia., bore	P 272-348	24
	011407	Ball bearing, 1" dia., bore	P 360-	24
34	010673	Bolt, shouldered, 3/8" x 1-3/8"	P 272-348	12
	724183	Bolt, shouldered, 1/2" x 1-5/8" (Order 724256)	P 360-408	12
	724256	Bolt, shouldered, 1/2" x 1-1/2"	P 417-	12
	011954	Lockwasher (internal) used with 724256 shouldered bolt	P 417-	12
35	011256	No. 13 Woodruff key, 3/16 x 1"	P 272-	11
36	011302	High pro key, 3/16 x 2-1/8"	P 272-	1
37	305502	Divider - Husking rolls	P 272-	1
	013987	Machine screw, 5/16 x 5/8"		2
38	711867	Ear divider	P 272-	3
39	304669	Rubber husking roll disc, 1-3/16" I.D.	P 272-	A.R. (175-180)

HUSKING ROLLS (CONT.)

KEY	PART NO.	PART DESCRIPTION	LOT	USED
40	1891 P	Husking peg, wing type	P 272-	25
41	W 261	Wood peg, 19/32" O.D. x 2-3/16" long	P 272-	26
42	711807	Rubber husking roll assembly, 1st - 4th - 5th - 8th - 9th and 12th	P 272-348	6
	724065	Rubber husking roll assembly, 1st - 4th - 5th - 8th - 9th and 12th (Order 719029)	P 360-438	6
	719029	Rubber husking roll assembly, 1st - 4th - 5th - 8th - 9th and 12th	P 445-	6
43	711809	Husking roll collar	P 272-348	2
	724066	Husking roll collar	P 360-	2
44	711800	Husking roll assembly, steel	P 272-348	3
		This also replaces 1st - 5th and 9th rubber roll assembly on Lots P 272-348		
	724221	Husking roll assembly, steel	P 360-	3
45	303752	Husking roll trunnion, 1" dia., x 5-13/16" long	P 272-	3
	013111	Rivet, flat head, 9/32" x 2-3/4"		2
46	303753	Short spindle for husking roll, 1" dia., x 2-3/4" long (Order 724149)	P 278-348	6
	724149	Short spindle for husking roll, 1" dia., x 3-7/16" long	P 360-	6
	013111	Rivet, flat head, 9/32" x 2-3/4"		2
47	711802	Husking roll assembly, steel	P 272-348	1
	724222	Husking roll assembly, steel	P 360-	1
48	711803	Husking roll trunnion, 1" dia. x 6-15/16" long	P 272-	1
		Rivet, flat head, 9/32 x 2-3/4"		2
49	711805	Husking roll assembly, steel	P 272-348	1
	724224	Husking roll assembly, steel	P 360-	1
50	711806	Husking roll trunnion, 1" dia., x 8-5/16" long	P 272-348	1
	724195	Husking roll trunnion, 1" dia., x 8-5/16" long	P 360-	1
51	711810	Husking roll assembly, steel (This also replaces 4th - 8th and 12th rubber roll assembly Lot P 272-348)	P 272-348	3
52	711864	Bearing cover	P 272-	3
	013987	Machine screw, 5/16 x 5/8"		10
53	711860	Baffle support assembly	P 272-	2
	013589	Machine bolt, 3/8 x 1-3/4"		4
54	303770	Bearing cover bracket	P 272-348	3
	013583	Machine bolt, 3/8 x 1"		9
55	303886	Spacer	P 272-	9
	013984	Machine screw, 1/4 x 2"		3
56	305511	Corn deflector, rear	P 272-	1
	013987	Machine screw, 5/16 x 5/8"		6
57	305499	Corn deflector, front	P 272-	1
	013987	Machine screw, 5/16 x 5/8"		6
58	305462	Husking roll assembly	P 272-348	1
	724223	Husking roll assembly	P 360-	1
59	305463	Husking roll trunnion - drives	P 272-348	1
	724193	Husking roll trunnion - drives, 8-3/16" long	P 360-	1
	013111	Rivet, flat head, 9/32" x 2-3/4"		2
60	010163	Locknut, 3/8" U.N.C.	P 272-348	12
	012005	Locknut, 1/2" U.N.C.	P 360-	12
	011954	Lockwasher (internal) used with 012005 locknut and 724256 shouldered bolt	P 360-	12
61	305568	Divider	P 272-	1
	013997	Machine screw, 3/8 x 5/8"		4
62	305487	Deflector - use with wide row	P 272-	1
63	305488	Deflector - top - use with wide row	P 272-	1
64	K 3037	Washer, 11/32" I.D. x 11/16" O.D. x 1/16"	P 272-	1
	013988	Machine screw, 5/16 x 3/4"		5
65	010161	Locknut, 1/4 - 20 U.N.C.	P 272-	3
66	305514	Divider, husking rolls	P 272-	1
	013986	Machine screw, 5/16 x 1/2"		6
67	K 4324	Washer, 17/32" I.D. x 1-1/4" O.D. x 1/16" thick	P 272-	4
68	305569	Spacer, 1 x 5-3/4" x 1/4" thick	P 272-	1
	013825	Carriage bolt, 3/8 x 1-1/4"		2
69	305579	Deflector - use with narrow row	P 272-	1
	013988	Machine screw, 5/16 x 3/4"		3
70	304777	Chain slide	P 272-	
	013832	Carriage bolt, 3/8" x 3"		1
71	K 2809	Locking collar, 1"	P 360-	24
72	719000	Plate		1
73	K 3603	Roll pin, 5/16 x 3-1/4"		1
74	K 4548	Machine bolt, 1/2 x 3-1/2" (Full body)		2

CORN SAVER




NO. 327 HUSKING UNIT LOT P272 -

KEY	PART NO.	PART DESCRIPTION	LOT	USED
1	305443	Paddle drive shaft, 1" dia. x 42-1/8" long	P 272-	1
2	011256	Woodruff key, No. 13 - 3/16 x 1"	P 272-	2
3	300862	Paddle casting	P 272-	2
4	711789	Paddle extension, 2-5/8" x 36-1/4" long	P 272-	4
	711790	Reinforcement, 3/4 x 36-1/4" long	P 272-289	4
	013988	Machine screw, 5/16" x 3/4"		12
5	711784	Finger assembly	P 272-	1
	302597	Finger, long		47
	302598	Finger, short		8
	013988	Machine screw, 5/16" x 3/4"		4
6	711787	Paddle assembly, 36-1/4" long (Order (4) 305962)	P 272-300	1
	305962	Paddle	P 311-	4
	013563	Machine bolt, 5/16" x 3/4"		8
7	K 864	Washer, 1-1/32" I.D. x 1-5/8" O.D. x 1/16" thick	P 272-	A.R.
8	010231	Cotter pin, 3/16 x 1-1/2"	P 272-	6
9	K 4668	Bearing housing	P 272-	12
	013811	Carriage bolt, 5/16 x 3/4"		2
10	011976	Grease fitting, 1/4 - 28 N.S.T.	P 272-	2
11	300248	Bearing, 1" dia. bore	P 272-	4
12	300851	Bearing support (Order 308819)	P 272-390	2
	308819	Bearing support assembly	P 401-	2
	013812	Carriage bolt, 5/16" x 1"		4
13	711774	6-Tooth sprocket, 1" dia. bore for No. 62 chain	P 272-	4
14	K 4169	Roll pin, 5/16 x 1-5/8"	P 272-	2
15	305442	Corn saver drive shaft, 1" dia. x 42-5/16" long	P 272-	1
16	K 2752	Ball bearing, 1" dia.	P 272-	2
17	K 2809	Locking collar, 1" dia.	P 272-	2

CORN SAVER (CONT.)


KEY	PART NO.	PART DESCRIPTION	LOT	USED
18	K 2692	Setscrew, 1/4 x 1/4" allen head	P 272-	2
19	302300	Spacer, 1" I.D. x 1-1/2" O.D. x 7/16" thick	P 272-	1
20	1463 S	Spacer, 1" standard black pipe, x 1/4" thick	P 272-	1
21	192 PM	7-Tooth sprocket, 1" dia. bore, for A2050 chain	P 272-	1
22	K 3866	Roll pin, 1/4 x 1-5/8"	P 272-	1
23	305564	12-Tooth sprocket, 1" dia. bore for A2050 chain	P 272-	1
24	K 3169	Roll pin, 5/16 x 1-3/4"	P 272-	1
25	711764	Corn saver shield assembly	P 272-	1
	013812	Carriage bolt, 5/16 x 1"		4
26	305439	Lower corn saver sheet assembly	P 272-	1
	013561	Machine bolt, 5/16 x 1/2"		10
	013562	Machine bolt, 5/16 x 5/8"		2
27	305510	Extension sheet	P 272-	1
	013562	Machine bolt, 5/16 x 5/8"		7
28	305562	Corn saver shaft front, 1" dia. x 40-1/4"	P 272-	1
29	305497	Corn saver stripper plate	P 272-	1
	013810	Carriage bolt, 5/16 x 5/8"		2
	013811	Carriage bolt, 5/16 x 3/4"		2
30	305585	Support angle, 1 x 1 x 37-1/8"	P 272-	1
	013990	Machine screw, 5/16 x 1"		4
31	305452	Upper corn saver sheet, front	P 272-	1
	013986	Machine screw, 5/16 x 1/2"		6
32	305453	Upper corn saver sheet, rear	P 272-	1
	013986	Machine screw, 5/16 x 1/2"		6
33	711757	Corn saver conveyor chain complete, consisting of No. 62 - 55 plain links, 8 attachment links, one attachment link followed by 7 plain links, for 5 consecutive units	P 272-	
	711758	Flight with attachment link	P 272-	8
	010972	Attachment link, L.H.	P 272-	8
	010973	Attachment link, R.H.	P 272-	8
	No. 62	Plain link	P 272-	55
34	No. 62	Coupler link	P 272-	2
35	K 3859	Coupler link pin, 11/32" O.D. x 2-7/32" long	P 272-	1
36	010210	Cotter pin, 3/32 x 3/4"	P 272-	2
37	308821	Rod, 3/8" O.D. x 8-3/8" long	P 385-	2

EAR FORWARDERS



NO. 327 HUSKING UNIT LOT P272 -

KEY	PART NO.	PART DESCRIPTION	LOT	USED
1	010231	Cotter pin	P 272-	26
2	K 864	Washer, 1-1/32" I.D. x 1-5/8" O.D. x 1/16" thick	P 272-	A.R.
3	K 4668	Bearing housing	P 272-	8
	013811	Carriage bolt, 5/16 x 3/4"		16
4	300248	Bearing, 1" I.D.	P 272-	1
5	011976	Grease fitting, 1/4 - 28 N.S.T.	P 272-	1
6	305532	Ear forwarder - lower shaft, 42-3/4" long	P 272-	1
7	011899	Washer, 1-1/16" sq. I.D. x 2" O.D. x 1/16" thick	P 272-	24
8	305266	Finger wheel assembly, 13"	P 272-	24
9	K 2752	Ball bearing, 1" dia. bore	P 272-	3
10	K 2809	Locking collar, 1" dia. bore	P 272-	3
11	K 2692	Set screw, 1/2 x 1/4" allen head	P 272-	3
12	304713	Spacer, 1" standard black pipe, 21/32" thick	P 272-	2
13	305768	17-Tooth sprocket, 1" dia. bore	P 272-	1
14	300041	Chain slide	P 272-	1
	013831	Carriage bolt, 3/8 x 2-3/4"		1
15	305533	Earforwarder drive chain, 1-1/4" extended pitch A2050 consisting of 76 total pitches, 75 riveted type and one connector link (For repair of chain see page 184)	P 272-	
16	305565	17-Tooth sprocket, 1" dia. bore, for A2050 chain	P 272-	
	305578	15-Tooth sprocket, 1" dia. bore special	P 272-	1
17	011256	Woodruff key, No. 13 - 3/16 x 1"	P 272-	1
18	305748	Upper shaft assembly, 48-1/8" long	P 272-	1
19	011271	Woodruff key, No. 18 - 1/4 x 1-1/8"	P 272-	1
20	305749	Ratchet hub assembly, 1" dia. bore	P 272-	1
21	101 PM	Ratchet plate	P 272-	2
22	K 3180	Bushing, 1" I.D. x 1-1/4" O.D. x 2" long	P 272-	1
23	711947	22-Tooth sprocket assembly, 1" dia. bore	P 272-	1
24	2612 P	Compression spring, 2-1/2" O.D. x 3-3/4" long, 6 coils	P 272-	1
25	K 965	Washer, hardened, 1-1/4" I.D. x 2-9/16" O.D. x 5/32" thick	P 272-	1
26	118 PM	Slip clutch nut, 1"	P 272-	1
27	010246	Cotter pin, 1/4 x 2-1/4"	P 272-	1
28	305530	Auger and earforwarder drive chain, 1-1/4" extended pitch consisting of 84 total pitches, 83 riveted type and one connector link (For repair of chain see page 184)	P 272-	
29	K 4169	Roll pin, 5/16 x 1-5/8"	P 272-	




KEY	PART NO.	PART DESCRIPTION	LOT	USED
1	010246	Cotter pin, 1/4" x 2-1/4"	P 272-	1
2	118 PM	Slip clutch nut	P 272-	1
3	K-965	Washer, 1-1/4" I.D. x 2-9/16" O.D. x 5/32" thick, hardened	P 272-	1
4	2612-P	Compression spring, 2-1/2" O.D., 3-3/4" long 6 coil	P 272-	1
5	K-3180	Bushing, 1" I.D. x 1-1/4" O.D. x 2" long bronze	P 272-	1
6	302740	9 tooth sprocket with K 3180 bushing for 1-1/4" extended pitch chain (Order 718506)	P 272-320	1
	718506	9 tooth sprocket with K 3180 bushing for 1-1/4" extended pitch chain	P 334-	1
	308430	11 tooth sprocket with K 3180 for 1-1/4" extended pitch chain (speed up)		

WAGON ELEVATOR (CONT.)

KEY	PART NO.	PART DESCRIPTION	LOT	USED
7	303342	Wagon elevator drive chain, 1-1/4 extended pitch, A-2050 consisting of 57 total pitches, 56 riveted type and 1 connector link (For repair of chain see page 184)	P 272-	2
8	300041	Chain slide	P 272-	1
	013831	Carriage bolt, 3/8 x 2-3/4"		1
9	E-395	Ratchet plate	P 272-	2
10	302737	Auxiliary drive shaft assembly, 1" dia. - 19-5/8" long	P 272-	1
11	K-4668	Bearing housing flange	P 272-	4
	013811	Carriage bolt, 5/16 x 3/4"		2
12	K-2809	Locking collar, 1" I.D.	P 272-	2
13	K-2692	Set screw, 1/4 x 1/4" cup point allen head	P 272-	2
14	K-2752	Bearing ball, 2-1/8" O.D., x 1" I.D.	P 272-	2
15	010231	Cotter key, 3/16 x 1-1/2"	P 272-	3
16	2530-P	Ratchet spring cup	P 272-	1
17	2832-P	Compression spring, 1-7/8" I.D. x 3" long - 7 coils	P 272-	1
18	K-3655	Washer, 11/32" I.D. x 7/8" O.D. x 3/32" thick	P 272-	2
19	302743	Pivot anchor assembly	P 272-	1
	013811	Carriage bolt, 5/16 x 3/4"		2
20	013173	Rivet drilled, 3/8 x 4"	P 272-	1
21	010214	Cotter pin, 1/8 x 3/4"	P 272-	1
22	65-PM	Sliding clutch - 1" bore keyway	P 272-	1
23	011264	Key No. 26 woodruff, 3/16 x 1-23/32"	P 272-	1
24	K-864	Washer 1-1/32" I.D. x 1-5/8" O.D. x 1/16" thick	P 272-	3
25	302741	9 tooth sprocket assembly (Order 302742)	P 272-	1
	302742	9 tooth sprocket with 1 - 010131 bushing for 1-1/4" extended pitch chain	P 272-	1
26	010131	Bushing, 1" I.D. x 1-1/4" O.D. x 2" long bronze	P 272-	1
27	011976	Grease fitting, 1/4 - NST straight	P 272-	1
28	02471-PM	Auxiliary drive chain 1-1/4 extended pitch roller chain A-2050 consisting of 28 total pitches, 27 pitches riveted type and 1 connecting link (For repair of chain see page 184)	P 272-	1
29	02057-PMA	Throwout lever assembly	P 272-	1
30	M-613	Pin shouldered, 1-1/16" long	P 272-	2
31	M-614	Roller, 29/64" I.D. x 3/4" O.D. x 19/32" long	P 272-	2
32	K-3582	Idler roller assembly 33/64" bore	P 272-	1
	013619	Machine bolt, 1/2 x 2-3/4"		1
33	2341-P	Spacer, 1/2" I.D. x 3/4" O.D. x 5/16" long	P 272-	2
34	302734	Wagon elevator drive support assembly	P 272-	1
	013824	Carriage bolt, 3/8 x 1"		4
35	302749	Spacer, 13/32" I.D. x 5/8" O.D. x 2-17/32" long	P 272-	1
36	189-PM	Ratchet for clutch	P 272-	1
	013596	Machine bolt, 3/8 x 3-1/2"		1
37	302747	Throwout arm (Order 302748)	P 272-	1
	302748	Throwout arm and 150-PM pawl	P 272-	1
38	150-PM	Pawl, 11/32" pin hole	P 272-	1
39	010132	Rivet shouldered, 5/16", 1-3/8" long	P 272-	1
40	010228	Cotter pin, 3/16 x 3/4"	P 272-	1
41	K-3131	Spring extension, 5/8" O.D. x 3-7/8" long, 46 coils	P 272-	1
42	010133	Rivet drilled 5/16 x 3/4"	P 272-	1
43	302746	Throwout arm support	P 272-	1
	013583	Machine bolt, 3/8 x 1"		2
44	302758	Rope assembly, 16' long (Order 305955)	P 272-300	1
	305955	Rope assembly, 22'6" long	P 311-	1
45	T-760	Chain hook, 3/16" dia.	P 272-	1

WAGON ELEVATOR



NO. 327 HUSKING UNIT LOT P272 -

KEY	PART NO.	PART DESCRIPTION	LOT	USED
1	302704	15-tooth sprocket, 1" bore for RC - 2050 chain	P 272-	1
2	011256	Woodruff key, No. 13, 3/16 x 1" long	P 272-	2
3	K 2809	Locking collar, 1" bore	P 272-	1
4	010246	Cotter pin, 1/4 x 2-1/4"	P 272-	1
5	K 2624	Set screw, 3/8 x 5/16" cup point allen head	P 272-	1
6	K 2753	Bearing ball, 1" I.D. x 2" O.D.	P 272-	2
7	K 3169	Roll Pin, 5/16 x 1-3/4"	P 272-	1
8	300664	6-tooth sprocket for No. 62 chain 1" bore keyway	P 272-	1
9	302702	Wagon elevator boot	P 272-	1
	013987	Machine screw, 5/16 x 5/8"		10
10	300662	Lower bearing housing	P 272-	1
	013581	Machine bolt, 3/8 x 3/4"		6
11	302703	Wagon elevator lower shaft, 1" dia., 15-23/32" long	P 272-	1
12	302697	Wagon elevator trough assembly	P 272-	1
	305767	Wagon elevator assembly complete, less chain	P 272-	1
13	302709	Hopper end sheet	P 272-	1
	013987	Machine screw, 5/16 x 5/8"		16
14	K 3037	Washer, 11/32" I.D., x 11/16" O.D., x 1/16" thick	P 272-300	5
	305961	Strip, 1" x 23" x 1/8" thick	P 311-	1
15	302710	Hopper seal, 5/16" thick x 23-1/8" long, 1-5/8" flat	P 272-	1
	013988	Machine screws, 5/16 x 3/4"		5
16	302705	Inner hopper sheet assembly	P 272-	1
	013987	Machine screw, 5/16 x 5/8"		10
17	305561	Wagon elevator cable, 5/16" wire x 154" long	P 272-	1
18	K 2772	Thimble for 5/16" cable	P 272-	1
19	K 2099	5/16" cable clamp	P 272-	2
20	300688	Wagon elevator chain assembly, No. 62 chain, 154 plain links, 16 - 62 SHG attachment links and one connector link. Make up as follows, 4 plain links followed by 1 attachment link followed by 10 plain links, then 1 attachment link followed by 10 plain links for 10 consecutive times, then 1 attachment link followed by 9 plain links for 4 consecutive times, then 1 attachment link followed by 4 plain links and 1 coupler link	P 272-	1
	300995	Flight assembly with attachment link	P 272-	16
	300993	Wagon elevator flight	P 272-	16
	300994	Flight stiffener	P 272-	16
	K 2937	Rivet, 1/4 x 7/8" truss head shouldered	P 272-	32
	K 3265	Rivet, 1/4 x 1" truss head shouldered	P 272-	32
	62 SHG	Attachment link	P 272-	16
21	010210	Cotter pin, 3/32 x 3/4"	P 272-	1
22	62	Coupler link complete	P 272-	1
	62	Plain link	P 272-	154
23	K 3859	Coupler link pin, 11/32 x 2-7/32"	P 272-	1
24	T 760	Wire clip, 3/16"	P 272-	1
25	305424	Ear deflector rope, 1/4" dia., 24' long (Order 305958)	P 272-300	1
	305958	Ear deflector rope, 3/16" dia., 24'6" long	P 311-	1
26	305534	Hopper end sheet assembly	P 272-	1
	013986	Machine screw, 5/16 x 1/2"		10
27	302690	Elevator door assembly	P 272-	1
	013988	Machine screw, 5/16 x 3/4"		3
28	02884 PM	Hopper door hinge	P 272-	1
	013090	Rivet, 1/4 x 3/8"		3
29	305580	Spacer, 1" wide, 15" long, 1/16" thick	P 272-	1
	013988	Machine screw, 5/16 x 3/4"		1
30	303579	Angle, 7/8 x 1-3/8 x 12-1/2" long	P 272-	1
	013992	Machine screw, 5/16 x 1-1/4"		2
31	303540	Bale assembly	P 272-	1
32	010231	Cotter pin, 3/16 x 1-1/2"	P 272-	2
33	1498 S	Washer, 1-3/32" I.D. x 2" O.D. x 1/8" thick	P 272-	2
34	300668	Hood assembly, right hand	P 272-	1
	013986	Machine screw, 5/16 x 1/2"		7
35	010214	Cotter pin, 1/8 x 3/4"	P 272-	2
36	0210 PM	Spacer rod, 3/8" dia., 11-3/16" long	P 272-	1
37	0211 PM	Shield upper elevator shaft	P 272-	1
38	K 2298	Tightener bolt carriage, 7/16 x 4"	P 272-	2

WAGON ELEVATOR DRIVE (CONT.)

KEY	PART NO.	PART DESCRIPTION	LOT	USED
39	K 2692	Set screw, 1/4 x 1/4 cup point allen head	P 272-	2
40	K 3301	Locking collar, 7/8" I.D.	P 272-	1
41	303881	6 tooth sprocket, for No. 62 chain, includes sprocket, bearing and snap ring	P 272-	1
42	K 3300	Bearing ball, 7/8" I.D.	P 272-	1
43	K 1820	Snap ring, internal	P 272-	1
44	0212 PM	Shaft upper, 7/8" dia., 12-1/2" long	P 272-	1
45	300674	Hood bracket assembly	P 272-	1
	013996	Machine screw, 5/8 x 1/2"		8
46	010544	Spring extension - 5/64 wire - 55 coils - 6" long	P 272-	2
47	300677	Corn deflector assembly	P 272-	1
	013583	Machine bolt, 3/8 x 1"		2
48	K 3004	Washer, 13/32" I.D. x 13/16" O.D. x 1/16" thick	P 272-	2
49	2642 P	Bushing, 9/16" O.D. x 5/16" long	P 272-	3
50	K 3913	Washer, 13/32" I.D. x 1-3/8" O.D., 1/16" thick	P 272-	2
51	300669	Hood assembly, left hand	P 272-	1
	013986	Machine screw, 5/16 x 1/2"		7
52	013209	Drilled rivet, 5/8 x 2-1/2"	P 272-	2
53	2628 P	Pin clip	P 272-	2
54	304143	Wagon elevator support stand	P 272-	1
55	300753	Elevator stand bracket	P 272-	1
	013998	Machine screw, 3/8 x 3/4"		2
56	K 3801	Lamp bracket socket type	P 272-	1
57	302050	Support angle, 1/8 x 1-1/4 x 1-1/4 x 36" long	P 272-	2
58	302716	Spacer, 1-3/4" sq. x 21/32" sq. hole, 1/4" thick	P 272-	1
59	302708	Outside hopper sheet	P 272-	
	013987	Machine screw, 5/16 x 5/8"		9
60	01535 PMA	Elevator door assembly	P 272-	1
61	0182 PM	Door cross pin, 5/16" dia. x 13-3/4" long	P 272-	1
62	010130	Machine screw, 5/16 x 1-1/2" drilled	P 272-	1
63	T-13	Spring extension, 1/16 wire, 76 coils, 6" long	P 272-	1
64	K 4878	Name plate, New Idea green (Order 011512)	P 272-348	1
	011512	Name plate, Avco New Idea (buff)	P 360-	1
65	K 5025	Speed nut, flat type	P 272-	3
66	305552	Hopper side sheet (Order 308812)	P 272-373	1
	308812	Hopper side sheet	P 380-	1
	013986	Machine screw, 5/16" x 1/2"		4
	013988	Machine screw, 5/16" x 3/4"		6
67	302715	Sway brace tie bar, 5/16 x 1-3/4 flat	P 272-	1
68	302714	Sway brace angle, 3/16 x 1-3/4 x 1-3/4"	P 272-	1
	013638	Machine bolt, 5/8 x 1-1/2"		1
69	K 2295	Washer, 21/32" I.D. x 1-3/4" O.D. x 1/8" thick	P 272-	1
70	K 2191	Bushing, 21/32" I.D. x 7/8" O.D. x 5/16" long	P 272-	1
71	303580	Cover Sheet, 7" x 36" x 3/64" thick	P 272-	3
	013988	Machine screw, 5/16 x 3/4"		4
72	010617	Tapping screw, No. 10 x 1/2" oval head	P 272-	3
73	01638 PM	Chain, 25 links	P 272-	1
74	300659	Wagon Elevator Pivot Plate, Right	P 272-	
75	300660	Wagon Elevator Pivot Plate, Left	P 272-	1
76	308950	Wagon elevator extension (chain assembly) #62 chain (For repair of chain see page 184)	P 272-	1
77	711983	Trough bottom	P 272-	1
78	308947	Elevator extension assembly	P 272-	1
79	711984	Wagon elevator bottom extension	P 272-	1
80	712007	Cover sheet extension	P 272-	1
81	711985	Wagon elevator side sheet extension, R.H.	P 272-	1
82	711986	Wagon elevator side sheet extension, L.H.	P 272-	1
83	303579	Cover angle 7/8 x 3/8 x 12-1/2"	P 272-	1
84	525778	Reflector (Red)	P 272-	1
85	308917	Bracket	P 272-	1
86	525779	Reflector (Amber)	P 272-	1
87	308976	Strap	P 272-	1
88	013209	Rivet 5/8 x 2-1/2"	P 272-	1
	010217	Cotter pin 1/8 x 1-1/4"	P 272-	1